



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

D412-742-055
Job Sheet 182075



Part No: D412-742-055

Job Qty: 1 ea

Part Name: Thru-Bolt Full-Length Standard Wearplates, Bell Medium - Fits LH or RH



Part Weight: 0 lbs

Status: Scheduled

Priority: Medium

Job Created: 8/17/18

Job Tracking No:

Due Date: 8/27/18

Created By: Marie Lajeunesse

Type: SOLD

Description:

Note: IIN-D412-742-2 REV.a IPP REV:A 17.11.02 NEW ISSUE DD VERF:JFS IPP REV:B 18.08.16 AS PER
CHG002 DD VERF:DP

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup hrs	Run Hrs	Workcenter / Supplier	Lead Time	
90	Start up Operation	1 Ea	8/27/18	8/27/18	0.00	0.00	Start Up Stores/Pkg-2	6 DAS	AUG 31 2018
110	Packaging	1 pcs	8/27/18	8/27/18	0.00	0.00	Packaging1-4	9-89 DAS	AUG 31 2018
120	QC	1 pcs	8/27/18	8/27/18	0.00	0.00	QC4	6 DAS	AUG 31 2018
130	Packaging	1 pcs	8/27/18	8/27/18	0.00	0.00	Packaging3-2	9-89 DAS	AUG 31 2018
135	DC	1 pcs	8/27/18	8/27/18	0.00	0.00	DC	9-89 DAS	AUG 31 2018
140	QC21-SA	1 Ea	8/27/18	8/27/18	0.00	0.00	QC21		

Part Op 130 - Identify and pack for shipping as per PPP D412-742-055 Location :FG083
Descriptions: 135 - Photocopy bluefile and create labels per PPP D412-742-055 CHG002
140 - NULL

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
D5489-041	Wearplate Assembly	1 Ea (1 ea)	90-Start up Operation	5106188
D5489-045	Wearplate Assembly	1 Ea (1 ea)	90-Start up Operation	5103355
D5489-047	Wearplate Assembly	1 Ea (1 ea)	90-Start up Operation	5103318
D5489-3	Wearplate	1 Ea (1 ea)	90-Start up Operation	5103353

Job Allocations

Operation	Component Part	Required	Inventory	Allocated
90-Start up Operation	D5489-041	1	3	0
	D5489-045	1	5	0
	D5489-047	1	4	0
	D5489-3	1	5	0

Part Specifications

Specifications could not be found.

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS <table style="width:100%; border: none;"> <tr> <td style="border: none;">Skid-tube ☐</td> <td style="border: none;">Cross tube ☐</td> <td style="border: none;">Water Jet ☐</td> <td style="border: none;">Engineering ☐</td> </tr> <tr> <td style="border: none;">Machining ☐</td> <td style="border: none;">Small Fab ☐</td> <td style="border: none;">Prod. Eng. Coord. ☐</td> <td style="border: none;">Quality ☐</td> </tr> <tr> <td style="border: none;">Thermoforming ☐</td> <td style="border: none;">Finishing ☐</td> <td style="border: none;">Rec/Store/Packaging ☐</td> <td style="border: none;">Other ☐</td> </tr> <tr> <td style="border: none;">Large Fab ☐</td> <td style="border: none;">Composite ☐</td> <td style="border: none;">Supplier ☐</td> <td></td> </tr> </table>				Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐																												
Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐																																													
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐																																													
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐																																													
Large Fab ☐	Composite ☐	Supplier ☐																																														
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval																																												
Description Work Order Deviation		Disposition																																														
		Completed By _____																																														
		and / Supervisor Approval Verification																																														
		QA Coordinator Approval																																														
Root Cause <table style="width:100%; border: none;"> <tr><td style="border: none;">Environment ☐</td><td style="border: none;">No Re-verification ☐</td></tr> <tr><td style="border: none;">Design ☐</td><td style="border: none;">Operator ☐</td></tr> <tr><td style="border: none;">Doc/Data ☐</td><td style="border: none;">Offset/Setup ☐</td></tr> <tr><td style="border: none;">Equip/Tooling ☐</td><td style="border: none;">Supplier ☐</td></tr> <tr><td style="border: none;">Handling/Pre ☐</td><td style="border: none;">Training ☐</td></tr> <tr><td style="border: none;">Material ☐</td><td style="border: none;">Use for Testing ☐</td></tr> <tr><td style="border: none;">Internal Transport ☐</td><td style="border: none;">Poor Information ☐</td></tr> <tr><td style="border: none;">Tribal Knowledge ☐</td><td style="border: none;">Rushing ☐</td></tr> <tr><td style="border: none;">LOA ☐</td><td style="border: none;">Product Improvement ☐</td></tr> <tr><td style="border: none;">Substation ☐</td><td style="border: none;">Process Improvement ☐</td></tr> <tr><td style="border: none;">Past Expiry Date ☐</td><td style="border: none;">Manufacturing Process ☐</td></tr> <tr><td style="border: none;">Misidentified ☐</td><td style="border: none;">Past Due ☐</td></tr> </table>		Environment ☐	No Re-verification ☐	Design ☐	Operator ☐	Doc/Data ☐	Offset/Setup ☐	Equip/Tooling ☐	Supplier ☐	Handling/Pre ☐	Training ☐	Material ☐	Use for Testing ☐	Internal Transport ☐	Poor Information ☐	Tribal Knowledge ☐	Rushing ☐	LOA ☐	Product Improvement ☐	Substation ☐	Process Improvement ☐	Past Expiry Date ☐	Manufacturing Process ☐	Misidentified ☐	Past Due ☐	FAULT CATEGORY <table style="width:100%; border: none;"> <tr><td style="border: none;">☐ Pressure/Forced</td><td style="border: none;">☐ Temperature/Cure</td></tr> <tr><td style="border: none;">☐ Bending</td><td style="border: none;">☐ Set-up</td></tr> <tr><td style="border: none;">☐ Centre Not Concentric</td><td style="border: none;">☐ BOM/Route</td></tr> <tr><td style="border: none;">☐ Cracks</td><td style="border: none;">☐ Broken/Damage/Defect</td></tr> <tr><td style="border: none;">☐ Crimp/Kink/Ripple/Wave</td><td style="border: none;">☐ Inspection Incomplete/Unqualified</td></tr> <tr><td style="border: none;">☐ Cuffs</td><td style="border: none;">☐ Contamination</td></tr> <tr><td style="border: none;">☐ Crushing</td><td style="border: none;">☐ Countersink</td></tr> <tr><td style="border: none;">☐ Heat Treat</td><td style="border: none;">☐ Cut Too Short</td></tr> <tr><td style="border: none;">☐ Wave/Twist in Tube</td><td style="border: none;">☐ Instructions Incomplete/Unclear</td></tr> <tr><td style="border: none;">☐ Marks/Chatter</td><td style="border: none;">☐ Drill Holes</td></tr> </table>			☐ Pressure/Forced	☐ Temperature/Cure	☐ Bending	☐ Set-up	☐ Centre Not Concentric	☐ BOM/Route	☐ Cracks	☐ Broken/Damage/Defect	☐ Crimp/Kink/Ripple/Wave	☐ Inspection Incomplete/Unqualified	☐ Cuffs	☐ Contamination	☐ Crushing	☐ Countersink	☐ Heat Treat	☐ Cut Too Short	☐ Wave/Twist in Tube	☐ Instructions Incomplete/Unclear	☐ Marks/Chatter	☐ Drill Holes
Environment ☐	No Re-verification ☐																																															
Design ☐	Operator ☐																																															
Doc/Data ☐	Offset/Setup ☐																																															
Equip/Tooling ☐	Supplier ☐																																															
Handling/Pre ☐	Training ☐																																															
Material ☐	Use for Testing ☐																																															
Internal Transport ☐	Poor Information ☐																																															
Tribal Knowledge ☐	Rushing ☐																																															
LOA ☐	Product Improvement ☐																																															
Substation ☐	Process Improvement ☐																																															
Past Expiry Date ☐	Manufacturing Process ☐																																															
Misidentified ☐	Past Due ☐																																															
☐ Pressure/Forced	☐ Temperature/Cure																																															
☐ Bending	☐ Set-up																																															
☐ Centre Not Concentric	☐ BOM/Route																																															
☐ Cracks	☐ Broken/Damage/Defect																																															
☐ Crimp/Kink/Ripple/Wave	☐ Inspection Incomplete/Unqualified																																															
☐ Cuffs	☐ Contamination																																															
☐ Crushing	☐ Countersink																																															
☐ Heat Treat	☐ Cut Too Short																																															
☐ Wave/Twist in Tube	☐ Instructions Incomplete/Unclear																																															
☐ Marks/Chatter	☐ Drill Holes																																															
OTHER : _____		Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7 CANADA TEL: 1-813-632-5200 Email: sales@dartaero.com www.dartaerospace.com Container No: S107366 Part: D412-742-055 Job No: 182075 Serial No/Batch: S107366 Revision: A Inspector: Exp Date: Instructions: FAA STC SR01583SE 15/08/2015																																														
		<table style="width:100%; border: none;"> <tr> <td style="border: none;">☐ Mislabeled</td> <td style="border: none;">☐ Finish</td> </tr> <tr> <td style="border: none;">☐ Fit/Function</td> <td style="border: none;">☐ Misread</td> </tr> <tr> <td style="border: none;">☐ Misaligned/off center</td> <td style="border: none;">☐ Turning Sequence</td> </tr> </table>			☐ Mislabeled	☐ Finish	☐ Fit/Function	☐ Misread	☐ Misaligned/off center	☐ Turning Sequence																																						
☐ Mislabeled	☐ Finish																																															
☐ Fit/Function	☐ Misread																																															
☐ Misaligned/off center	☐ Turning Sequence																																															

5.0 PARTS LIST

5.1 D412-742-021 (PMA/OEM) Float Skidtube Installation Parts List

Item	Qty -021	Qty -051	Qty -055	Part Number	Description
	X			D412-742-021	FLOAT SKIDTUBE INSTALLATION
	1	X		D412-742-051	FLOAT SKIDTUBE
		1	X	D412-742-055	WEARPLATE KIT
		1		D5425-041	FLOAT SKIDTUBE ASSY.
1		*6		*D3672-1	*WASHER
2		30		D5513-1	BUSHING
3		*12		*D5512-1	*CROSSBOLT SPACER
4		*1		*D5525-1	*FLOAT SKIDTUBE
6		*1		*D5483-041	*TOW CAP ASSY.
7		*1		*D5484-041	*AFT CAP ASSY.
8			1	D5489-041	FWD WEARPLATE
9			1	D5489-3	MID WEARPLATE
10			1	D5489-045	AFT WEARPLATE
11			1	D5489-047	WEARPAD
12		*37		*D5518-1	*CROSSBOLT SPACER
13		*6		*AN3C5A	*BOLT
14		15		AN3C44A	BOLT
15		*6		*NAS1149C0332R	*WASHER
16		15		MS21043L3	NUT
30	1			D5466-1	SADDLE, FWD INSIDE
31	1			D5467-1	SADDLE, FWD OUTSIDE
32	1			D5468-1	SADDLE, AFT OUTSIDE
33	1			D5469-1	SADDLE, AFT INSIDE
34	16			AN4C6A	BOLT
35	29			MS21043-4	NUT
36	32			NAS1149C0432R	WASHER
37	32			D3672-3	PHENOLIC WASHER
38	8			AN4C52A	BOLT
39	24			D5446-1	BUSHING
40	8			AN6C12A	BOLT
41	8			NAS1149C0632R	WASHER
42	8			D3672-9	WASHER
43	2			D2876	SADDLE SPACER
44	2			D2877	SADDLE SPACER
45	4			D2747	SET SCREW
46	2			D3533-1	SET SCREW
47	4			AN4C7A	BOLT
50	1			D3407-047	TOW RING
51	2			D5482-3	ACETAL WASHER
52	1			D3456-1	WASHER
60	1			D3405-041	GHW LUG
61	1			D3405-043	GHW LUG
62	4			AN4C47A	BOLT
63	8			D5482-1	ACETAL WASHER
70	33			AN3C50A	BOLT
71	175**			NAS1149C0332R	WASHER
72	44			D5513-1	BUSHING
73	33			MS21043-3	NUT

*DENOTES PART IS INCLUDED WITH D5425-041 ASSEMBLY

**INCLUDES ADDITIONAL WASHERS TO COMPENSATE FOR VARIANCE IN STACKUP THICKNESS

• COPYRIGHT © 2017 BY DART AEROSPACE USA, INC. •
 THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED
 OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.

Revision: A

Date: 17.07.20

